

G3 NxT White Nitrile Glove 12" Ambidextrous



Product Information

Code	Size	Palm Width*(mm)	Length* (mm)	Quantity
62990	XS	74	305	100 gloves/bag; 10 bags/case
62991	S	84	305	100 gloves/bag; 10 bags/case
62992	M	96	305	100 gloves/bag; 10 bags/case
62993	L	111	305	100 gloves/bag; 10 bags/case
62994	L+	116	305	100 gloves/bag; 10 bags/case
62995	XL	123	305	100 gloves/bag; 10 bags/case

*As measured by ASTM D 6319; 2.5 AQL¹

Property	Description
General Product Information	For use in Food Handling and Food Processing; Meets USP 800 guidelines; Tested for use with 16 hazardous drugs – 12 chemotherapy drugs and 4 hormones per ASTM D6978-05
General Description	White Nitrile powder free, cleanroom gloves, straight finger, ambidextrous mold with non-slip/textured finish at fingertip, beaded cuff, 12" nominal length, double chlorinated, laundered, silicone free. Recommended for ISO Class 3 or higher Cleanroom environments

Physical Property	Unit	Upper Limit	Test Method (1.5 AQL)
Water tightness	NA	Pass	ASTM D 5151
Particulate Level ≥0.5 microns	#/cm ²	950	IEST-RP-CC005

Extractable Ions	Upper Limit	Test Method (1.5 AQL)
Calcium	50 µg/g	IEST-RP-CC005
Chloride	35 µg/g	IEST-RP-CC005
Magnesium	5 µg/g	IEST-RP-CC005
Nitrate	20 µg/g	IEST-RP-CC005
Potassium	5 µg/g	IEST-RP-CC005
Sodium	5 µg/g	IEST-RP-CC005
Sulfate	10 µg/g	IEST-RP-CC005
Zinc	7 µg/g	IEST-RP-CC005
Ammonium	5 µg/g	IEST-RP-CC005

Thickness	Target	Target	Test Method (2.5 AQL)
Middle Finger	6.30 mil	0.16 mm	ASTM D 6319
Palm	5.12 mil	0.13 mm	ASTM D 6319
Cuff	3.93 mil	0.10 mm	ASTM D 6319

Property	Tensile Strength	Ultimate Elongation	Median Force at Break
Before Aging	18 Mpa	600%	4.5 Newtons
After Aging	20 Mpa	600 %	4.5 Newtons
Test Method (2.5 AQL)	ASTM D 412	ASTM D 412	ASTM D 412
	ASTM D 573	ASTM D 573	ASTM D 573
	ASTM D 6319	ASTM D 6319	ASTM D 6319

¹ AQL levels defined according to ISO 2859-1 (current edition) Sampling Procedures for Inspection by Attributes.

Workmanship Requirement: Gloves shall be made in accordance with reasonable industry practice with respect to defects, dirt and contamination. Gloves should be packaged as specified having described size and color in the appropriate quantity as listed. Shipping Case and inner packaging shall be labeled with product name, size, lot/batch and catalog number.

For Additional information: Contact your Kimberly-Clark representative, our North America Customer Service Team (888)-346-GOKC (4652), KCPInfo@kcc.com; our European (EU) Customer Service Team +44(0) 1737 736000, infofax@kcc.com; or our Asia-Pacific (AP) Customer Service Team +603 7807 8210

K-C Confidential: The information contained in this document is intended for the use of the addressee(s) only and may contain privileged, confidential, or proprietary information that should not be distributed publically without Kimberly-Clark's written consent

Rev. September 23, 2019

Kimberly-Clark warrants that its products (1) comply with K-C's standard specifications as of the delivery date to K-C's authorized distributors/direct purchasers (2) comply with all K-C labeling representations; and (3) are manufactured in compliance with all applicable federal, state, and local laws in effect at the time and place of manufacture of the products. **THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** K-C is not liable for any kind of special, incidental, or consequential damages. K-C's liability for breach of contract, tort or other cause of action shall not exceed the product purchase price. Purchasers and users are deemed to have accepted the above warranty and limitation of liability, and cannot change the terms by verbal agreement or by any writing not signed by K-C. To the extent required by applicable law, K-C does not limit its liability for death/injury resulting from K-C's negligence.

